

Printing date 13.04.2023

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision: 13.04.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- Trade name: MANNOL 9991 Molibden Additive 350 ml
- · UFI: 8H5T-R0DQ-K00F-290Q
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Additive
- 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: UAB "SCT Lubricants" Silutes PI. 119 LIT-95112 KLAIPEDA LITHUANIA renata@sct.lt
- · Further information obtainable from: Product safety department.
- **1.4 Emergency telephone number:** Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

 2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Precautionary statements
- P102 Keep out of reach of children.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- P391 Collect spillage.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- \cdot **Description:** Mixture of substances listed below with nonhazardous additions.
- · Dangerous components: Void

(Contd. on page 2)

IF

Printing date 13.04.2023

Version number 1

Revision: 13.04.2023

Trade name: MANNOL 9991 Molibden Additive 350 ml

	(Cont	d. of page 1)
 Not dangerous substa 	ances	
CAS: 64742-54-7 EINECS: 265-157-1	A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst.	92–93%
CAS: 9010-79-1 EC number: 618-455-4	1-Propene, polymer with ethene	6.5%
CAS: 445409-27-8 EC number: 686-534-0	Organomolybdenum amide Aquatic Chronic 2, H411	<1.0%
· Additional information	1: For the wording of the listed hazard phrases refer to section 16.	,

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

Foam

Fire-extinguishing powder

Sand

- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

Wear protective clothing.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

(Contd. on page 3)

IE -

Version number 1

Revision: 13.04.2023

Trade name: MANNOL 9991 Molibden Additive 350 ml

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

IE



Printing date 13.04.2023

(Contd. of page 2)

Printing date 13.04.2023

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision: 13.04.2023

Trade name: MANNOL 9991 Molibden Additive 350 ml

(Contd. of page 3)

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

 Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH 	Clear Characteristic Not determined. Undetermined. 130–166 °C (8002-05-9 Petroleum) Not applicable. Not determined. Not determined. Not determined. Not determined. Not determined.
 Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH 	Characteristic Not determined. Undetermined. 130–166 °C (8002-05-9 Petroleum) Not applicable. Not determined. Not determined. Not applicable. Not determined.
 Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH 	Characteristic Not determined. Undetermined. 130–166 °C (8002-05-9 Petroleum) Not applicable. Not determined. Not determined. Not applicable. Not determined.
 Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH 	Not determined. Undetermined. 130–166 °C (8002-05-9 Petroleum) Not applicable. Not determined. Not determined. Not applicable. Not determined.
 Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH 	Undetermined. 130–166 °C (8002-05-9 Petroleum) Not applicable. Not determined. Not determined. Not applicable. Not determined.
 Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH 	130–166 °C (8002-05-9 Petroleum) Not applicable. Not determined. Not determined. Not applicable. Not determined.
range1FlammabilityNLower and upper explosion limitLower:NUpper:NFlash point:NDecomposition temperature:NPHN	Not applicable. Not determined. Not determined. Not applicable. Not determined.
 Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH 	Not applicable. Not determined. Not determined. Not applicable. Not determined.
 Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH 	Not determined. Not determined. Not applicable. Not determined.
 Lower: N Upper: N Flash point: N Decomposition temperature: N pH N 	Not determined. Not applicable. Not determined.
· Upper: N · Flash point: N · Decomposition temperature: N · pH N	Not determined. Not applicable. Not determined.
 Flash point: Decomposition temperature: pH 	Not applicable. Not determined.
• Decomposition temperature: N • pH N	Not determined.
·pH N	
	Not determined.
· Viscosity:	
 Kinematic viscosity 	Not determined.
· Dynamic: N	Not determined.
Solubility	
· water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log value) N	Not determined.
	<20 hPa
· Density and/or relative density	
• •	0.85 g/cm³
	Not determined.
-	Not determined.
· ·	
• 9.2 Other information	
· Appearance:	l includ
	Liquid
Important information on protection of health	
and environment, and on safety.	
	Product is not selfigniting.
	Product does not present an explosion hazard.
· Solvent content:	
	0.00 %
· Solids content: 0	0.5–1 %
	(Contd. on page s



Printing date 13.04.2023

Version number 1

Revision: 13.04.2023

Trade name: MANNOL 9991 Molibden Additive 350 ml

		(Contd. of page
Change in condition Evaporation rate	Not determined.	
Information with regard to physical has	zard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products:
- Carbon monoxide

Aldehyde

Poisonous gases/vapours Carbon dioxide

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

IE

Version number 1

Revision: 13.04.2023

(Contd. of page 5)

Trade name: MANNOL 9991 Molibden Additive 350 ml

- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small guantities. Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

 14.1 UN number or ID number ADR, ADN, IMDG, IATA 	not regulated	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	not regulated	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
		(Contd. on page 7)



Printing date 13.04.2023



Printing date 13.04.2023

Version number 1

Revision: 13.04.2023

Trade name: MANNOL 9991 Molibden Additive 350 ml

		(Contd. of page 6)
 14.4 Packing group ADR, IMDG, IATA 	not regulated	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk accordi IMO instruments 	i ng to Not applicable.	
· UN "Model Regulation":	not regulated	

SECTION 15: Regulatory information

¹ 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

• Additional classification according to Decree on Hazardous Materials, Annex II: Carcinogenic hazardous material group III (dangerous).

• Information about limitation of use: Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

• **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 8)

ΙE

Printing date 13.04.2023

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision: 13.04.2023

Trade name: MANNOL 9991 Molibden Additive 350 ml

	(Contd. of page 7
Department issuing SDS: Product safety department.	
Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses p International Carriage of Dangerous Goods by Road)	par route (European Agreement Concerning the
IMDG: International Maritime Code for Dangerous Goods	
ATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	