Printing date 06.09.2023

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision: 06.09.2023

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- Trade name: <u>PEMCO 0912 Antifreeze 912+ (-40)</u>
- · UFI: P9H2-201U-F00T-S4W1
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Heat transfer fluid
- 1.3 Details of the supplier of the safety data sheet
   Manufacturer/Supplier: UAB "SCT Lubricants" Silutes PI. 119 LIT-95112 KLAIPEDA LITHUANIA renata@sct.lt
- · Further information obtainable from: Product safety department.
- 1.4 Emergency telephone number: Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008

GHS08 health hazard

STOT RE 2 H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

GHS07

Acute Tox. 4 H302 Harmful if swallowed. Eye Irrit. 2 H319 Causes serious eye irritation.

2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



· Signal word Warning

· Hazard-determining components of labelling:

ethanediol

3,5,5-trimethylhexanoate

(Contd. on page 2)

ίE

Version number 1

Revision: 06.09.2023

#### Trade name: PEMCO 0912 Antifreeze 912+ (-40)

(Contd. of	f page 1)
Hazard statements	
H302 Harmful if swallowed.	
H319 Causes serious eye irritation.	
H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exp Oral.	osure:
· Precautionary statements	
P101 If medical advice is needed, have product container or label at hand.	
P102 Keep out of reach of children.	
P103 Read carefully and follow all instructions.	
P260 Do not breathe dust/fume/gas/mist/vapours/spray.	
P264 Wash thoroughly after handling.	
P270 Do not eat, drink or smoke when using this product.	
P280 Wear eye protection / face protection.	
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.	
P330 Rinse mouth.	
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove c	contact
lenses, if present and easy to do. Continue rinsing.	
P314 Get medical advice/attention if you feel unwell.	
P337+P313 If eye irritation persists: Get medical advice/attention.	
P501 Dispose of contents/container in accordance with local/regional/national/intern regulations.	ational
· 2.3 Other hazards	
Results of PBT and vPvB assessment	

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

Dangerous componer	nts:	
CAS: 107-21-1	ethanediol	49–53%
EINECS: 203-473-3	STOT RE 2, H373; Acute Tox. 4, H302	
CAS: 22445-04-1	Potassium succinate	≤1.1%
EC number: 607-079-6	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 93918-10-6	3,5,5-trimethylhexanoate	≤1.0%
EINECS: 299-890-3	Skin Corr. 1, H314; Eye Dam. 1, H318; Acute Tox. 4, H302	
· Additional information	<b>1</b> : For the wording of the listed hazard phrases refer to section 16	

he listed hazard p or the wording

## **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.

#### · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)

IE

Printing date 06.09.2023

Version number 1

Revision: 06.09.2023

#### Trade name: PEMCO 0912 Antifreeze 912+ (-40)

(Contd. of page 2)

- After swallowing: Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

# **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

#### • Suitable extinguishing agents: CO2. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

Foam

Fire-extinguishing powder

Sand

· For safety reasons unsuitable extinguishing agents: Water

5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- 5.3 Advice for firefighters
- Protective equipment: Mouth respiratory protective device.
- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

# **SECTION 6: Accidental release measures**

 6.1 Personal precautions, protective equipment and emergency procedures
 Mount respiratory protective device.
 Ensure adequate ventilation
 Particular danger of slipping on leaked/spilled product.
 Wear protective clothing.
 6.2 Environmental precautions:
 Dilute with plenty of water.
 Do not allow to enter sewers/ surface or ground water.

 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire and explosion protection: Keep respiratory protective device available.

(Contd. on page 4)



Printing date 06.09.2023

|



Printing date 06.09.2023

Version number 1

Revision: 06.09.2023

#### Trade name: PEMCO 0912 Antifreeze 912+ (-40)

(Contd. of page 3)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

#### · Ingredients with limit values that require monitoring at the workplace:

#### 107-21-1 ethanediol (53.0%)

OEL Short-term value: 40 mg/m³, 104 ppm Long-term value: 52 mg/m³, 20 ppm Sk, IOELV

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- · Respiratory protection:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

IE

Printing date 06.09.2023

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision: 06.09.2023

Trade name: PEMCO 0912 Antifreeze 912+ (-40)

(Contd. of page 4)

· Eye/face protection



Tightly sealed goggles

<b>SECTION 9: Physical and chemical</b>	nronortioc
SECTION 9. Physical and chemical	properties
9.1 Information on basic physical and che	mical properties
General Information	
Physical state	Fluid
Colour:	Red
Odour:	Product specific
Odour threshold:	Not determined.
Melting point/freezing point:	-40 °C
Boiling point or initial boiling point and bo	biling
range	≥105 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
р	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log v	
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	>1.06 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Liquid
Important information on protection of h	ealth
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
VOC (EC)	0.00 %
Change in condition	
Evaporation rate	Not determined.

уе о) —— IE



Printing date 06.09.2023

Version number 1

Revision: 06.09.2023

#### Trade name: PEMCO 0912 Antifreeze 912+ (-40)

		(Contd. of page
Information with regard to physical ha	zard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

# **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:
- Carbon monoxide
- Aldehyde
- Poisonous gases/vapours
- Carbon dioxide

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Harmful if swallowed.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 ≥50,000 mg/kg

#### 107-21-1 ethanediol

Oral LD50 5,840 mg/kg (rat)

Dermal LD50 9,530 mg/kg (rabbit)

(Contd. on page 7)

IE



Printing date 06.09.2023

Version number 1

Revision: 06.09.2023

(Contd. of page 6)

#### Trade name: PEMCO 0912 Antifreeze 912+ (-40)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

- · Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- $\cdot$  Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure
- May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

#### Endocrine disrupting properties

None of the ingredients is listed.

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

# **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

#### · European waste catalogue

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

- HP6 Acute Toxicity
- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

(Contd. on page 8)



Printing date 06.09.2023

Version number 1

Revision: 06.09.2023

#### Trade name: PEMCO 0912 Antifreeze 912+ (-40)

(Contd. of page 7)

SECTION 14: Transport information	tion
<ul> <li>14.1 UN number or ID number</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	not regulated
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	not regulated
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	not regulated
<ul> <li>14.4 Packing group</li> <li>ADR, IMDG, IATA</li> </ul>	not regulated
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
<ul> <li>14.7 Maritime transport in bulk accordi IMO instruments</li> </ul>	ing to Not applicable.
· UN "Model Regulation":	not regulated

# **SECTION 15: Regulatory information**

- <sup>1</sup> 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Contd. on page 9)

Printing date 06.09.2023

Version number 1

Revision: 06.09.2023

#### Trade name: PEMCO 0912 Antifreeze 912+ (-40)

(Contd. of page 8)

SECTION 16: Other information	
This information is based on our present knowledge. However, this shall not constitute any specific product features and shall not establish a legally valid contractual relations	
<ul> <li>Relevant phrases</li> <li>H302 Harmful if swallowed.</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>H315 Causes skin irritation.</li> <li>H318 Causes serious eye damage.</li> <li>H319 Causes serious eye irritation.</li> <li>H335 May cause respiratory irritation.</li> <li>H373 May cause damage to organs through prolonged or repeated exposure.</li> <li>Classification according to Regulation (EC) No 1272/2008</li> <li>The classification of the mixture is generally based on the calculation method using according to Regulation (EC) No 1272/2008.</li> </ul>	substance data
<ul> <li>Department issuing SDS: Product safety department.</li> <li>Contact: Mrs. Zubaite</li> <li>Date of previous version: 06.09.2023</li> </ul>	
<ul> <li>Abbreviations and acronyms:</li> <li>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agree International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>ELINCS: European List of Notified Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>VOC: Volatile Organic Compounds (USA, EU)</li> <li>LC50: Lethal concentration, 50 percent</li> <li>LD50: Lethal dose, 50 percent</li> <li>PBT: Persistent, Bioaccumulative and Toxic</li> <li>vPvB: very Persistent and very Bioaccumulative</li> <li>Accute Tox. 4: Acute toxicity – Category 4</li> <li>Skin Corr. 1: Skin corrosion/irritation – Category 1</li> <li>Skin Irrit. 2: Serious eye damage/eye irritation – Category 1</li> <li>Eye Dam. 1: Serious eye damage/eye irritation – Category 2</li> <li>STOT SE 3: Specific target organ toxicity (single exposure) – Category 3</li> </ul>	ment Concerning the

